



Date: Thursday, 17/01/2008 8:43:35 AM
 User: Linda Lacelle

Process Sheet

Customer :	CU-DAR001 Dart Helicopters Services	Drawing Name :	AFT TUBE ASSEMBLY
Job Number :	35777		
Estimate Number :	10699		
P.O. Number :		Part Number :	D3391015
This Issue :	17/01/2008	S.O. No. :	
Prsht Rev. :	NC	Drawing Number :	D3391 REV G
First Issue :	15/11/2007	Project Number :	N/A
Previous Run :	35776	Drawing Revision :	G
	Type :	Material :	
	LANDING GEAR	Due Date :	10/12/2007
Written By :		Qty:	1
Checked & Approved By :		Um:	Each
Comment :	Est Rev B 06-02-07 ECN773 dwg rev. D EC Est Rev:C 06-03-28 Update Manuf. Instructions JLM est rev D 07.03.20 revF dwg EC est rev E 07.11.07 rev G dwg ecn 1053p EC verified by: DD Est Rev:F 07-11-13 ECN 1056 DD verified by: EC		

Additional Product

Job Number:



Seq. #:	Machine Or Operation:	Description :
----------------	------------------------------	----------------------

1.0	D6014090	ALUMINUM EXTRUSION
-----	----------	--------------------



Comment: Qty.: 1.0000 f(s)/Unit Total: 1.0000 f(s)

ALUMINUM EXTRUSION

Pick:

Qty	Part Number	Description	Batch
-----	-------------	-------------	-------

1	D6014-090	Extrusion	
---	-----------	-----------	--

Identify as D3391-3

2.0	MORI SEIKI	MORI SEIKI CNC LATHE LARGE
-----	------------	----------------------------

**Comment:** MORI SEIKI CNC LATHE LARGE

Turn as per Folio FA599 Rev: ____ & Dwg D3391 Rev: ____

3.0	QC2	INSPECT PARTS AS THEY COME OFF MACHINE
-----	-----	--

**Comment:** INSPECT PARTS AS THEY COME OFF MACHINE

4.0	HAAS1	HAAS CNC VERTICAL MACHINING #1
-----	-------	--------------------------------

**Comment:** HAAS

1-Machine as per Folio FA 599 Rev: ____ & Dwg D3391 Rev: ____

2-Deburr

Date: Thursday, 17/01/2008 8:43:35 AM
User: Linda Lacelle

Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: AFT TUBE ASSEMBLY

Job Number: 35777

Part Number: D3391015

Job Number:



Seq. #:

Machine Or Operation:

Description :

5.0

QC2

INSPECT PARTS AS THEY COME OFF MACHINE



Comment: INSPECT PARTS AS THEY COME OFF MACHINE

6.0

QC8

SECOND CHECK



Comment: SECOND CHECK

7.0

LANDING GEAR 1

LANDING GEAR RESOURCE 1



Comment: LANDING GEAR RESOURCE 1

1-Drill (PILOT HOLE) aft cap holes per Dwg D3391 using DT8803

see attached

8.0

BENDING

BENDING MACHINE



Comment: NC Bender

Form as per Dwg D3391

9.0

QC5

INSPECT WORK TO CURRENT STEP



Comment: INSPECT WORK TO CURRENT STEP

10.0

LANDING GEAR 1

LANDING GEAR RESOURCE 1



Comment: LANDING GEAR RESOURCE 1

1-Open Aft cap pilot hole to .208" as per Dwg D3391

2-Drill Tube as per D3391 using DT8808 (ALL HOLES)

3-Drill and c' sink wearshoe holes as per Dwg D3391

4-C'sink holes for float bag (4 holes per side) as per Dwg D3391

Deburr

5- Tranfer holes from D3391-013 for electric step in tube

AD
8-1-16

11.0

QC5

INSPECT WORK TO CURRENT STEP



Comment: INSPECT WORK TO CURRENT STEP

08-01-23 *①*

106689

Date: Thursday, 17/01/2008 8:43:35 AM
User: Linda Lacelle

Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: AFT TUBE ASSEMBLY

Job Number: 35777

Part Number: D3391015

Job Number:



Seq. #:

Machine Or Operation:

Description :

12.0

HAND FINISHING1

HAND FINISHING RESOURCE #1



Comment: HAND FINISHING RESOURCE #1

Acid etch and Alodine as per QSI 005 4.1

SL 8-1-24

13.0

D36704200

SPACER



Comment: Qty.: 14.0000 Each(s)/Unit Total: 14.0000 Each(s)

SPACER B35813-3

Batch: B35938-11

DP 8-1-24

14.0

LANDING GEAR 1

LANDING GEAR RESOURCE 1



Comment: LANDING GEAR RESOURCE 1

1-Install crossbolt spacers per dwg D3391

A/R Magnabond 6398 batch: M106695

2- Grind flush

DP 8-1-24

15.0

QC5

INSPECT WORK TO CURRENT STEP



Comment: INSPECT WORK TO CURRENT STEP

Good 01/25 (H)

16.0

POWDER COATING

POWDER COATING



Comment: POWDER COATING

Powder Coat White Gloss (Ref: 4.3.5.1) as per QSI 005 4.3

M106379

(1X)

M-P 08/01/25

17.0

QC3

INSPECT POWDER COAT/CHEMICAL CONVERSION



Comment: INSPECT POWDER COAT/CHEMICAL CONVERSION

FL 08/01/25 (D)

18.0

D2646

Aft Cap



Comment: Qty.: 1.0000 Each(s)/Unit Total: 1.0000 Each(s)

Aft Cap

Batch: B32427

FL 08/01/25 (D)

Date: Thursday, 17/01/2008 8:43:35 AM
User: Linda Lacelle

Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: AFT TUBE ASSEMBLY

Job Number: 35777

Part Number: D3391015

Job Number:



Seq. #:

Machine Or Operation:

Description :

19.0

D35371

WEARPAD



Comment: Qty.: 1.0000 Each(s)/Unit Total : 1.0000 Each(s)

WEARPAD

Batch:

B36363

FL

20.0

D35377

Wearpad



Comment: Qty.: 1.0000 Each(s)/Unit Total : 1.0000 Each(s)

Wearpad

Batch:

B33869

FL

21.0

D35531

Gasket



Comment: Qty.: 1.0000 Each(s)/Unit Total : 1.0000 Each(s)

Gasket

Batch:

B22740

FL

22.0

D35533

Gasket



Comment: Qty.: 1.0000 Each(s)/Unit Total : 1.0000 Each(s)

Gasket

Batch:

B33870

FL

23.0

D36721

PHENOLIC WASHER



Comment: Qty.: 2.0000 Each(s)/Unit Total : 2.0000 Each(s)

PHENOLIC WASHER

Batch:

B34470

FL

24.0

ALS41032130

Insert



Comment: Qty.: 14.0000 Each(s)/Unit Total : 14.0000 Each(s)

INSERT

Batch:

m105729

or equivalent per

QSI 017

FL 08/01/25 (1)

Date: Thursday, 17/01/2008 8:43:35 AM
User: Linda Lacelle

Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: AFT TUBE ASSEMBLY

Job Number: 35777

Part Number: D3391015

Job Number:



Seq. #:

Machine Or Operation:

Description :

25.0

ALS41032225

Insert



Comment: Qty.: 12.0000 Each(s)/Unit Total : 12.0000 Each(s)

INSERT

Batch: m100489

or equivalent

per QSI 017

FL

26.0

ALS4428165

Inserts



Comment: Qty.: 4.0000 Each(s)/Unit Total : 4.0000 Each(s)

Inserts

Batch: m6989

FL

27.0

AN3C4A

BOLT



Comment: Qty.: 6.0000 Each(s)/Unit Total : 6.0000 Each(s)

Bolt

Batch: m106785

FL

28.0

AN3C5A

Bolt



Comment: Qty.: 4.0000 Each(s)/Unit Total : 4.0000 Each(s)

Bolt

Batch: m106552

FL

29.0

AN960C10L

washer



Comment: Qty.: 10.0000 Each(s)/Unit Total : 10.0000 Each(s)

WASHER

Batch: m106552

FL

30.0

HAND FINISHING1

HAND FINISHING RESOURCE #1



Comment: SMALL & MEDIUM FAB RESOURCE 1

1-Install inserts per dwg D3391

2-Install Aft Cap as per Dwg D3391

A/R Sikaflex-241/-291

Sikaflex expiry date: 108-07

m105585

FL 08/01/25 ①

Date: Thursday, 17/01/2008 8:43:35 AM
User: Linda Lacelle

Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: AFT TUBE ASSEMBLY

Job Number: 35777

Part Number: D3391015

Job Number:



Seq. #:

Machine Or Operation:

Description :

31.0

QC5

INSPECT WORK TO CURRENT STEP



*checked
meas
as lab*



Comment: INSPECT WORK TO CURRENT STEP

26/1/28 (11)

32.0

PACKAGING 1

PACKAGING RESOURCE #1



Comment: PACKAGING RESOURCE #1

Identify and Stock

Location: _____

PP

35921

28/01/29

33.0

QC21

FINAL INSPECTION/W/O RELEASE



Comment: FINAL INSPECTION/W/O RELEASE

28/01/29

34.0

MORI SEIKI

MORI SEIKI CNC LATHE LARGE



Comment: MORI SEIKI CNC LATHE LARGE

Turn as per Folio FA599

Rev: _____ & Dwg D3391 Rev: _____

35.0

HAAS1

HAAS CNC VERTICAL MACHINING #1



Comment: HAAS

1-Machine as per Folio FA 599 Rev: _____ & Dwg D3391 Rev: _____

2-Deburr

36.0

LANDING GEAR 1

LANDING GEAR RESOURCE 1



Comment: LANDING GEAR RESOURCE 1

1-Drill (PILOT HOLE) aft cap holes per Dwg D3391 using DT8803

37.0

BENDING

BENDING MACHINE



Comment: NC Bender

Form as per Dwg D3391 Using Bend Prog 3391025

done del

38.0

LANDING GEAR 1

LANDING GEAR RESOURCE 1



Comment: LANDING GEAR RESOURCE 1

1-Open Aft cap pilot hole to .208" as per Dwg D3391

2-Drill float bag holes using DT8809 as per Dwg D3391(Holes marked "A" Only.

Date: Thursday, 17/01/2008 8:43:35 AM
User: Linda Lacelle

Process Sheet

Customer: CU-DAR001 Dart Helicopters Services

Drawing Name: AFT TUBE ASSEMBLY

Job Number: 35777

Part Number: D3391015

Job Number:



Seq. #:

Machine Or Operation:

Description :

3-Drill wearplate holes as per Dwg D3391 using DT8878(Mid Tube) & DT8217 Wearplate Jig .

*****Do Not Open To Finished Size*****

4-Drill Wearshoe holes as per DWG D3391 using DT8939 locating from 2 previously drilled aft wearplate holes.

5-Open up all wearshoe , wearplate and float bag holes as per Dwg D3391.

6-Deburr

Tools: rill

Job Completion



u 08-01-29

Date: Thursday, 11/15/2007 1:26:56 PM
 User: Kim Johnston

Process Sheet

Customer : CU-DAR001 Dart Helicopters Services Drawing Name : AFT TUBE ASSEMBLY
 Job Number : 35777
 Estimate Number : 10699
 P.O. Number :
 This Issue : 11/15/2007 S.O. No. :
 Prsht Rev. : NC Part Number : D3391025
 First Issue : 1 / 1 Type : LANDING GEAR Drawing Number : D3391 REV G
 Previous Run : 35776 Drawing Revision : G
 Material :
 Due Date : 12/10/2007 Qty: 1 Um: Each
 Written By :
 Checked & Approved By : 07/11/16
 Comment : Est Rev B 06-02-07 ECN773 dwg rev. D EC
 Est Rev:C 06-03-28 Update Manuf. Instructions JLM
 est rev D 07.03.20 revF dwg EC
 est rev E 07.11.07 rev G dwg ecn 1053p EC verified
 by: DD
 Est Rev:F 07-11-13 ECN 1056 DD verified by: EC

Additional Product

Job Number:



Seq. #: Machine Or Operation: Description :

1.0 D6014090 ALUMINUM EXTRUSION



Comment: Qty.: 1.0000 f(s)/Unit Total : 1.0000 f(s)

ALUMINUM EXTRUSION

Pick:

Qty Part Number Description Batch

1 D6014-090 Extrusion B26546

Identify as D3391-3

J.F. 07/11/23

2.0 MORI SEIKI MORI SEIKI CNC LATHE LARGE



Comment: MORI SEIKI CNC LATHE LARGE

Turn as per Folio FA599 Rev: AA & Dwg D3391 Rev: G

J.F. 07/11/23 (1)

3.0 QC2 INSPECT PARTS AS THEY COME OFF MACHINE



Comment: INSPECT PARTS AS THEY COME OFF MACHINE

J.F. 07/11/23 (1)

4.0 HAAS1 HAAS CNC VERTICAL MACHINING #1



Comment: HAAS

1-Machine as per Folio FA 599 Rev: AA & Dwg D3391 Rev: G

2-Deburr

BC 07.12.05

(1)

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

Date: Thursday, 11/15/2007 1:26:56 PM

User: Kim Johnston

Process Sheet

Customer: CUDAR001 Dart Helicopters Services

Drawing Name: AFT TUBE ASSEMBLY

Job Number: 35777

Part Number: D3391025

Job Number



Seq. #:

Machine Or Operation:

Description :

5.0

QC2

INSPECT PARTS AS THEY COME OFF MACHINE



Comment: INSPECT PARTS AS THEY COME OFF MACHINE

BC 07.12.05

①

6.0

QC8

SECOND CHECK



Comment: SECOND CHECK

OK 07/12/05

②

7.0

LANDING GEAR 1

LANDING GEAR RESOURCE 1



Comment: LANDING GEAR RESOURCE 1

1-Drill (PILOT HOLE) aft cap holes per Dwg D3391 using DT8803

EL 7-12-06

8.0

BENDING

BENDING MACHINE



Comment: NC Bender

Form as per Dwg D3391 Using Bend Prog 3391025

EL 7-12-13

9.0

QC5

INSPECT WORK TO CURRENT STEP



Comment: INSPECT WORK TO CURRENT STEP

BE 7-12-13

10.0

LANDING GEAR 1

LANDING GEAR RESOURCE 1



Comment: LANDING GEAR RESOURCE 1

1-Open Aft cap pilot hole to .208" as per Dwg D3391

2-Drill float bag holes using DT8809 as per Dwg D3391(Holes marked "A" Only.

3-Drill wearplate holes as per Dwg D3391 using DT8878(Mid Tube) & DT8217 Wearplate Jig.

*****Do Not Open To Finished Size*****

4-Drill Wearshoe holes as per DWG D3391 using DT8939 locating from 2 previously drilled aft wearplate holes.

5-Open up all wearshoe, wearplate and float bag holes as per Dwg D3391.

6-Deburr

Tools: rill

W/O:		WORK ORDER CHANGES					
DATE	STEP	PROCEDURE CHANGE	By	Date	Qty	Approval Chief Eng / Prod Mgr	Approval QC Inspector

Part No: _____ PAR #: _____ Fault Category: _____ NCR: Yes No DQA: _____ Date: _____

QA: N/C Closed: _____ Date: _____

NCR:		WORK ORDER NON-CONFORMANCE (NCR)						
DATE	STEP	Description of NC Section A	Corrective Action Section B			Verification Section C	Approval Chief Eng	Approval QC Inspector
			Initial Chief Eng	Action Description Chief Eng	Sign & Date			

NOTE: Date & initial all entries

DART AEROSPACE LTD		Work Order:	35777
Description: Float Skidtube (412)		Part Number:	D3391-3
Inspection Dwg: D3391	Rev: FG Pt 02-11-16	Page 1 of 1	


FIRST ARTICLE INSPECTION CHECKLIST


☒ First Article ☐ Prototype

Drawing Dimension	Tolerance	Actual Dimension	Accept	Reject	Method of Inspection	Comments
14.000	+/-0.010	13.999"	✓			
3.500	+/-0.010	3.501"	✓			
88.93	+/-0.030	88.945"	✓			
44.995	+/-0.030	45.000"	✓			
3.200	+/-0.010	3.203	✓			
1.526	+0.000/-0.030	1.520	✓			
0.200	+/-0.010	.200	✓			
7.500	+/-0.010	7.500	✓			
27.750	+/-0.010	27.75	✓			
31.750	+/-0.010	31.750	✓			
35.250	+/-0.010	35.250	✓			
3.300	+/-0.010	3.300	✓			
0.200	+/-0.010	.200	✓			
3.520	+/-0.010	3.522	✓			
0.687	+0.010/-0.000	.690	✓			
R0.062	+/-0.010	.062	✓			
Ø0.484	+0.005/-0.001	.487	✓			

Measured by: J.F. / BG	Audited by: JML	Prototype Approval:	N/A
Date: 07/11/23	Date: 07/12/04	Date:	N/A

Rev	Date	Change	Revised by	Approved
A	06.04.24	New Issue P/O D3391-025	KJ/JLM	
B	06.06.19	Dwg revision update	KJ/JLM	
C	07.04.20	Ø0.208 dimension removed	KJ/JLM	
D	07.09.06	0.400 dimension removed	KJ/JLM	EF





D3391-041 ASSEMBLY

RELEASED
07.11.06

D3391-041 FLOAT SKIDTUBE ASSEMBLY PARTS LIST


QTY	PART NUMBER	DESCRIPTION
X	D3391-041	FLOAT SKIDTUBE ASSEMBLY
1	D3391-011	FWD TUBE ASSEMBLY
1	D3391-013	MID TUBE ASSEMBLY
1	D3391-015	AFT TUBE ASSEMBLY
1	D3564-1	WEARSHOE
1	D3564-3	WEARSHOE
1	D3564-5	WEARSHOE
2	D3566-1	GASKET
1	D3566-5	GASKET
4	D3672-3	WASHER
24	AN3C4A	BOLT
12	AN3C6A	BOLT
8	AN3C7A	BOLT
44	AN960C10L	WASHER
4	MS27039C4-12	SCREW
4	AN960C416L	WASHER

GENERAL NOTES

- 1) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1 POWDER COAT WHITE (4.3.5.1) PER DART QSI 005 4.3
- 2) SPRAY INSIDE OF TUBE WITH A COAT OF LPS LABORATORIES "LPS-3" AFTER FINISH AND AFTER INSTALLATION OF INSERTS. COAT ALL EXPOSED FASTENERS WITH LPS LABORATORIES "LPS PROCYON" AFTER FINAL ASSEMBLY, CLEAN EXCESS OFF POWDER COATING WITH MEK DEGREASER. TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 3) UNITS: INCHES UNLESS OTHERWISE NOTED
- 4) USE DART DRILL TEMPLATE DT8217 TO LOCATE AND DRILL Ø0.297 SIZE HOLES FOR WEARSHOE INSERTS. C'BORE AS NOTED AND INSTALL INSERTS EXCEPT WHERE INDICATED.

G	REPLACE NAS INSERTS W/ AELS INSERTS SWITCH TO D3670-XXXX SPACERS FOR INSTALLING FLOAT BAGS. DWG REORGANIZED FOR CLARITY	DC	07.07.31
F	ADD SS WEARSHOE, GASKET REMOVE FWD SADDLE HOLE -011/-021	PH	07.01.18
E	CHANGE TOLERANCE, EASE MANUFACTURE	PH	06.04.25
D	UPDATE TOLERANCE, CHANGE HOLE SIZE	PH	06.01.23
C	LENGTHEN AFT EXTENSION	PH	05.09.27
B	DRAWING UPDATES	PH	05.06.10
A	NEW ISSUE	PH	05.02.07
REV.	DESCRIPTION	BY	DATE
DESIGN	PH		
DRAWN	PH		
CHECKED	PH		
MFG. APPR.	PH		
APPROVED	PH		
DE APPR.	PH		
DATE	07.07.31		
DART AEROSPACE USA, INC PORT HADLOCK, WA DRAWING NO. D3391 TITLE 412 FLOAT SKIDTUBE SCALE NTS REV. G SHEET 1 OF 8 COPYRIGHT © 2005 BY DART AEROSPACE USA, INC <small>THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COMMERCE OR COMMUNICATIONS TO ANY OTHER PERSON OR ENTITY WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.</small>			

NO. 35727
WORK ORDER
SUBJECT TO AMENDMENT
WITHOUT NOTICE
UNCONTROLLED COPY
ENGINEERING
RETURN TO
SHOP COPY



D3391-043 ASSEMBLY

RELEASED
07.11.04

D3391-043 FLOAT SKIDTUBE ASSEMBLY PARTS LIST


QTY	PART NUMBER	DESCRIPTION
X	D3391-043	FLOAT SKIDTUBE ASSEMBLY
1	D3391-021	FWD TUBE ASSEMBLY
1	D3391-023	MID TUBE ASSEMBLY
1	D3391-025	AFT TUBE ASSEMBLY
1	D3564-1	WEARSHOE
1	D3564-3	WEARSHOE
1	D3564-5	WEARSHOE
2	D3566-1	GASKET
1	D3566-5	GASKET
24	AN3C4A	BOLT
12	AN3C6A	BOLT
8	AN3C7A	BOLT
44	AN960C10L	WASHER

GENERAL NOTES


- 1) FINISH: CHEMICAL CONVERSION COAT PER DART QSI 005 4.1
POWDER COAT WHITE (4.3.5.1) PER DART QSI 005 4.3
- 2) SPRAY INSIDE OF TUBE WITH A COAT OF LPS LABORATORIES "LPS-3" AFTER FINISH AND AFTER INSTALLATION OF INSERTS. COAT ALL EXPOSED FASTENERS WITH LPS LABORATORIES "LPS PROCYON" AFTER FINAL ASSEMBLY, CLEAN EXCESS OFF POWDER COATING WITH MEK DEGREASER.
- 3) TOLERANCES: PER DART QSI 018 UNLESS OTHERWISE NOTED
- 4) UNITS: INCHES UNLESS OTHERWISE NOTED
- 5) USE DART DRILL TEMPLATE DT8217 TO LOCATE AND DRILL Ø0.297 SIZE HOLES FOR WEARSHOE INSERTS. C'BORE AS NOTED AND INSTALL INSERTS EXCEPT WHERE INDICATED.

DESIGN	PH	DART AEROSPACE USA, INC	
DRAWN	JLC	PORT HADLOCK, WA	
CHECKED	JP	DRAWING NO.	REV. G
MFG. APPR.	JP	D3391	SHEET 2 OF 8
APPROVED	JP	TITLE	SCALE
DE APPR.	JP	412 FLOAT SKIDTUBE	NTS
DATE	07.07.31	<small>COPYRIGHT © 2005 BY DART AEROSPACE USA, INC THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL, AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.</small>	


SHOP COPY
RETURN TO
ENGINEERING
UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
NO. 25777




D3391-1 CUTTING DETAIL
(MAKE FROM D6013-047 SKIDTUBE MATERIAL)




D3391-011/-021 BENDING DETAIL
(MAKE FROM D3391-1)




SECTION A-A
(SCALE 1:5)



SECTION B-B
(SCALE 1:5)



SECTION C-C
(SCALE 1:5)










VIEW Z-Z
(SCALE 1:5)

RELEASED
07-11-06 107

NO. 3577
WORK ORDER
SUBJECT TO AGREEMENT
UNCONTROLLED COPY
ENGINEERING
RETURN TO
SHOP COPY



DESIGN	SH	DART AEROSPACE USA, INC	
DRAWN	SC	PORT HADLOCK, WA	
CHECKED	J	DRAWING NO.	REV. G
MFG. APPR.	SC	D3391	SHEET 3 OF 8
APPROVED	MD	TITLE	SCALE
DE APPR.	SH	412 FLOAT SKIDTUBE	1:10
DATE	07.07.31	COPYRIGHT © 2005 BY DART AEROSPACE USA, INC	
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.			



D3391-013 MID TUBE ASSEMBLY PARTS LIST

QTY	PART NUMBER	DESCRIPTION
X	D3391-013	MID TUBE ASSEMBLY
1	D2500-1-100	EXTRUSION
12	D3389-1	SPACER
4	D3672-1	WASHER
4	D3672-3	WASHER
24	AEIS-1032-130	INSERT
4	AL54-428-165	INSERT
4	AN960C10L	WASHER
4	AN960C416L	WASHER
4	MS27039C1-09	SCREW
4	MS27039C4-08	SCREW


D3391-013 MID TUBE ASSEMBLY
 1) MATERIAL: MAKE FROM D2500-1-100 EXTRUSION
 2) INSTALL D3389-1 WEB TO OUTER TUBE USING SIKAFLEX-241/291 PER OSI 015
 3) WELDING: PER DART OSI 004








DESIGN	DART AEROSPACE USA, INC
DRAWN	PORT HADLOCK, WA
CHECKED	REV. G
MFG. APPR.	D3391
APPROVED	SHEET 5 OF 8
DE APPR.	SCALE
DATE	07.07.31
	412 FLOAT SKIDTUBE
	1:20

RELEASED
 07.11.06/14

COMPONENT © 2008 BY DART AEROSPACE USA, INC
 NOT TO BE USED FOR ANY PURPOSES OR FOR ANY OTHER REGION WITHOUT
 THE WRITTEN PERMISSION OF DART AEROSPACE USA, INC





D3391-023 MID TUBE ASSEMBLY PARTS LIST

QTY -	PART NUMBER	DESCRIPTION
023		
X	D3391-023	MID TUBE ASSEMBLY
1	D2500-1-100	EXTRUSION
1	D3389-1	WEB
5	D3681-1	SPACER
20	AELS-1032-130	INSERT


D3391-023 MID TUBE ASSEMBLY

- 1) MATERIAL: MAKE FROM D2500-1-100 EXTRUSION
- 2) INSTALL D3389-1 WEB TO OUTER TUBE USING SIKAFLEX-241/291 PER QSI 015
- 3) WELDING: PER DART QSI 004

RELEASED
07-11-06

DESIGN	PH	DART AEROSPACE USA, INC
DRAWN	DE	PORT HADLOCK, WA
CHECKED	DE	DRAWING NO. REV. G
MFG. APPR.	DE	D3391 SHEET 6 OF 8
APPROVED	DE	TITLE SCALE
DE APPR.	DE	412 FLOAT SKIDTUBE 1:20
DATE	07.07.31	COPYRIGHT © 2005 BY DART AEROSPACE USA, INC

THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL, AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.



RELEASED
07-11-06

DESIGN		DART AEROSPACE USA, INC
DRAWN		PORT HADLOCK, WA
CHECKED		DRAWING NO. REV. G
MFG. APPR.		D3391 SHEET 7 OF 8
APPROVED		TITLE SCALE
DE APPR.		412 FLOAT SKIDTUBE 1:12
DATE	07.07.31	COPYRIGHT © 2003 BY DART AEROSPACE USA, INC
THIS DOCUMENT IS PRIVATE AND CONFIDENTIAL AND IS SUPPLIED ON THE EXPRESS CONDITION THAT IT IS NOT TO BE USED FOR ANY PURPOSE OR COPIED OR COMMUNICATED TO ANY OTHER PERSON WITHOUT WRITTEN PERMISSION FROM DART AEROSPACE USA, INC.		

UNCONTROLLED COPY
SUBJECT TO AMENDMENT
WITHOUT NOTICE
WORK ORDER
117

